03050110-020

(Congaree Creek)

General Description

Watershed 03050110-020 is located in Lexington County and consists primarily of *Congaree Creek* and its tributaries. The watershed occupies 91,334 acres of the Sandhills region of South Carolina. The predominant soil types consist of an association of the Lakeland-Blaney-Fuquay series. The erodibility of the soil (K) averages 0.10 and the slope of the terrain averages 5%, with a range of 2-15%. Land use/land cover in the watershed includes: 56.3% forested land, 16.2% urban land, 16.1% agricultural land, 6.0% forested wetland (swamp), 3.9% barren land, 1.3% water, and 0.2% nonforested wetland (marsh).

West Fork and East Fork join to form Scouter Branch, which flows through Redmond Pond and Shealy Pond to enter Congaree Creek. Congaree Creek then flows through Hunt Pond before accepting the drainage from Red Bank Creek (Turkey Creek, Crystal Lake, Lick Fork Branch, Pole Branch). Second Creek (Hunt Branch, Bear Creek, Reedy Branch) flows into First Creek, which then drains into Congaree Creek. Congaree Creek also accepts the drainage from Savana Branch (Pitts Lake), Sixmile Creek (Lake Caroline), and Dry Creek. There are a total of 119.8 stream miles and 770.7 acres of lake waters in this watershed, all classified FW. The Congaree Creek watershed drains into the Congaree River near the City of Cayce. Another natural resource in the watershed is the Peachtree Rock Nature Preserve, located at the headwaters of Hunt Branch.

Surface Water Quality

Station #	Type	Class	Description
C-580	BIO	FW	RED BANK CREEK AT ROAD CONNECTING SR 1260 & SR 243
C-066	S/W	FW	RED BANK CREEK AT S-32-244
C-067	S/W	FW	RED BANK CREEK AT SANDY SPRINGS ROAD BETWEEN S-32-104 & SC602
C-565	BIO	FW	Congaree Creek at SR 34
C-061	S/W/BIO	FW	SAVANA BRANCH AT S-32-72 1.7 MILES NNW OF SOUTH CONGAREE
C-008	P/W	FW	CONGAREE CREEK AT US 21, AT CAYCE WATER INTAKE
C-025	S/W	FW	LAKE CAROLINE SPILLWAY AT PLATT SPRINGS ROAD
C-005	S/W	FW	SIXMILE CREEK ON US 21, S OF CAYCE
C-070	W/INT	FW	CONGAREE CREEK AT S-32-66
C-583	BIO	FW	SECOND CREEK AT SR 647

Congaree Creek – There are three SCDHEC monitoring sites along Congaree Creek. This is a blackwater system, characterized by naturally low pH and dissolved oxygen concentrations. Although pH excursions occurred, they were typical values for these systems and were considered natural, not standards violations. Aquatic life uses are fully supported at the upstream site (C-565) based on macroinvertebrate community data. At the midstream site (C-008), aquatic life uses are fully supported. There is a significant increasing trend in pH, which suggests changing conditions in this portion of the stream. A significant increasing trend in dissolved oxygen concentration and significant decreasing trends in five-day biochemical oxygen demand and turbidity suggests improving conditions for these parameters. Recreational uses are fully supported at this site. Aquatic life and recreational uses are fully

supported at the downstream site (*C-070*). A significant decreasing trend in turbidity suggests improving conditions for this parameter.

Red Bank Creek - There are three SCDHEC monitoring sites along Red Bank Creek. This is a blackwater system, characterized by naturally low pH and dissolved oxygen concentrations. Although pH excursions occurred, they were typical values for these systems and considered natural, not standards violations. At the upstream site (*C-580*), aquatic life uses are fully supported based on macroinvertebrate community data. Aquatic life uses are fully supported at the midstream site (*C-066*). Recreational uses are fully supported at this site; however, there is a significant increasing trend in fecal coliform bacteria concentration. Aquatic life uses are also fully supported at downstream site (*C-067*) and a significant decreasing trend in turbidity suggests improving conditions for this parameter. Recreational uses are partially supported at this site. Prior to 2001, *C-066 and C-067* were secondary monitoring stations and sampling was intentionally biased towards periods with potentially low dissolved oxygen concentrations.

Savana Branch (C-061) - Prior to 2001, this was a secondary monitoring station and sampling was intentionally biased towards periods with potentially low dissolved oxygen concentrations. Aquatic life uses are fully supported based on macroinvertebrate community data. This is a blackwater system, characterized by naturally low pH and dissolved oxygen concentrations. Although pH excursions occurred, they were typical values for these systems and considered natural, not standards violations. Significant decreasing trends in five-day biochemical oxygen demand and turbidity suggest improving conditions for these parameters. Recreational uses are partially supported, due to fecal coliform bacteria excursions.

Sixmile Creek (C-005) - Prior to 2001, this was a secondary monitoring station and sampling was intentionally biased towards periods with potentially low dissolved oxygen concentrations. Aquatic life uses are partially supported due to dissolved oxygen concentration excursions, compounded by a significant increasing trend in total suspended solids. This is a blackwater system, characterized by naturally low pH and dissolved oxygen concentrations. Although pH excursions occurred, they were typical of values seen in such systems and considered natural, not standards violations. A significant decreasing trend in five-day biochemical oxygen demand suggests improving conditions for this parameter. Recreational uses are not supported due to fecal coliform bacteria excursions. In addition, there is a significant increasing trend in fecal coliform bacteria.

Lake Caroline (C-025) - Prior to 2001, this was a secondary monitoring station and sampling was intentionally biased towards periods with potentially low dissolved oxygen concentrations. Aquatic life uses are not supported due to total phosphorus concentration excursions. Significant decreasing trends in five-day biochemical oxygen demand and turbidity suggest improving conditions for these parameters. Recreational uses are not supported due to fecal coliform bacteria excursions.

Second Creek (C-583) - Aquatic life uses are fully supported based on macroinvertebrate community data.

Natural Swimming Areas

FACILITY NAME PERMIT #
RECEIVING STREAM STATUS

CONGAREE GIRL SCOUT CAMP 32-N05 WEST FORK ACTIVE

YMCA LEXINGTON CAMP 32-N10
RED BANK CREEK TRIBUTARY ACTIVE

Groundwater Quality

Well #
AMB-042Class
GBAquifer
MIDDENDORFLocation
HIDDEN VALLEY

NPDES Program

Active NPDES Facilities

RECEIVING STREAM

FACILITY NAME

PERMITTED FLOW @ PIPE (MGD)

TYPE

COMMENT

RED BANK CREEK SC0023680

LEXINGTON COUNTY JOINT/OLD BARNWELL RD MINOR DOMESTIC

PIPE #: 001 FLOW: 0.8 Proposed to be eliminated and tie into

City of Cayce in 03050110-010

RED BANK CREEK TRIBUTARY SCG730168

CAROLINA MATERIAL/I-20 PIT MINOR INDUSTRIAL

PIPE #: 001 FLOW: M/R

FIRST CREEK SC0030651

CWS/GLENN VILLAGE II SD MINOR DOMESTIC

PIPE #: 001 FLOW: 0.1284

BEAR CREEK SC0045110

LEXINGTON COUNTY/EDMUND LANDFILL MINOR INDUSTRIAL

PIPE #: 001 FLOW: 0.028

SIXMILE CREEK SC0039021

SOLAR FARMS MINOR INDUSTRIAL

PIPE #: 001 FLOW: M/R

SIXMILE CREEK SC0030473

PARKWOOD OF CAROLINA MINOR DOMESTIC

PIPE #: 001 FLOW: 0.035 PROPOSED TO BE TIED IN

Nonpoint Source Management Program

Land Disposal Activities

Landfill Facilities

LANDFILL NAME PERMIT #
FACILITY TYPE STATUS

LEXINGTON COUNTY TRANSFER STATION 321001-1101 (DWP-127)

DOMESTIC CLOSED

LEXINGTON COUNTY LANDFILL 321001-1201 (CWP-044)

C&D ACTIVE

12TH ST. EXTENTION LANDFILL 322902-1301

αD ------

CAROLINA MATERIALS CORP. C&D LF 322611-1201

BRAKEFIELD CONSTRUCTION 322617-1201

C&D ------

US SILICA LANDFILL IWP-063
INDUSTRIAL -------

OWEN ELECTRICAL STEEL CO. IWP-126 INDUSTRIAL ------

RED BANK DUMP ------DOMESTIC CLOSED

U.S. #1 FLEA MARKET INERT LANDFILL 322447-1201 (NWP-003)

INDUSTRIAL CLOSED

Land Applications

LAND APPLICATIONPERMIT #FACILITY NAMETYPE

SPRAYFIELD/TILEFIELD ND0067075 WINDY HILL WWTP DOMESTIC

Mining Activities

MINING COMPANY PERMIT #
MINE NAME MINERAL

MARTIN MARIETTA MATERIALS, INC. 0102-63
CAYCE QUARRY GRANITE

BOWERS LEASING COMPANY 0637-63 HUGHES MINE SAND

RICHTEX CORPORATION 0184-63 SOX MINE KAOLIN

CAROLINA MATERIALS CORPORATION 0787-63 I-20 PIT SAND B&T SAND COMPANY, INC. 0947-63 BLEDSOE MINE SAND

CAROLINA MATERIALS CORPORATION 0608-63

RED BANK PIT SAND, SAND/CLAY

B&T SAND COMPANY, INC. 0741-63 HWY 6 MINE SAND

LEXINGTON COUNTY 0505-63

RED BANK PIT SAND, SAND/CLAY

B&T SAND COMPANY, INC. 0958-63
EDMUND MINE SAND

COLUMBIA SILICA SAND, INC. 0535-63
TINDAL MINE SAND

US SILICA 0150-63
COLUMBIA MINE SAND

COLUMBIA SILICA SAND, INC. 0010-63 SHULER MINE #2 SAND

B&T SAND COMPANY, INC. 1211-63 NAZARETH SAND/CLAY

WILSON BROTHERS 0934-63 SMITH MINE SAND

FONDREN EARTH EXCAVATION 0817-63

FONDREN SOILS INC. PIT SAND/GRAVEL

FOSTER-DIXIANA SAND COMPANY 1139-63 GASTON MINE SAND

Growth Potential

There is a high potential for growth in this watershed, which contains the Towns of Red Bank, South Congaree, Pineridge, Springdale, Oak Grove, and portions of the Cities of Cayce and West Columbia. The growth is primarily in the form of commercial and residential uses. Expansion of the industrial base is also expected. There are several major highways bisecting the watershed, together with the Columbia Metropolitan Airport and a rail line to aid transportation related growth. Water is available in the urbanized areas and can be easily extended by the Cities of West Columbia and Cayce; however, sewer is not widely available and will require a major investment. Two Notch Road and Old Barnwell wastewater treatment plants (WWTP) (under Lexington County Joint Municipal Water and Sewer Commission) are targeted for elimination under the 208 Plan, with effluent transported to the City of Cayce's WWTP. The construction of the line to Cayce could have the effect of making sewer more readily available.